A Sun's Water Theory

Preprint August 2024
by Oliver G. Caplikas

21. Exoplanet Explorations
22. Future Missions and Research Directions
23. Ice-Rich Moons and Ocean Worlds
24. Research and Technological Advances
25. Solar Activity and Long-Term Climate Effects
26. Solar Flares and Coronal Mass Ejections
27. The Dynamic Influence of Solar Activity
28. Water on Mars

Chapter III – Extra Educational Papers

1. Advanced Spacecraft and Instruments
2. Collaborative International Efforts
3. Educational Outreach and Public Engagement
4. Ethical Considerations and Sustainability
5. [illegible]
6. Future research should focus on:
7. International Collaboration and Data Sharing
8. Laboratory Simulations
9. Next-Generation Space Missions
10. Public Engagement and Citizen Science
11. Remote Sensing and Telescopes
12. Robotic Explorers and Rovers
13. Technological Innovations
14. Theoretical and Computational Models
15. The Science of Space Transportation and Interplanetary Transport
16. Challenges and Solutions in Space Travel
17. Future Prospects in Space Transportation
18. The Role of Joint Ventures and Investments in Space Transportation

This document contains artistic, diplomatic, medical, operational, private and scientific information, protected under international laws. Unauthorized reproduction, scanning, digital processing, copies and / or distribution in any form is strictly prohibited without the written permission of the author OGC from Suns Water Study. All rights reserved. © 2024

Chapter IV: The Interstellar and Interplanetary Frontiers: Harnessing Cosmic Resources and Ensuring Sustainable Exploration

1. Innovative Technologies Driving Exploration
2. Sustainable Exploration: Principles and Practices
3. The Cosmic Context of Innovation and Culture
4. The Cultural and Philosophical Impact of Cosmic Exploration
5. The Interplay of Universal Forces and Particles
6. Fundamental Forces
7. The Fabric of Spacetime
8. The Role of Neutrons and Nuclear Reactions
9. The Universe and the Cosmic Web
10. Advances in Particle Physics and Astrophysics
11. The Interconnectedness of Science and Creativity
12. The Pursuit of Peace and Unity Through Exploration

Chapter V - Additional Papers for the Sun's Water Theory

1. Detailed Hydrogen Chemistry in Water Formation
2. [illegible] Water Formation
3. Hydrogen in Planetary Atmospheres
4. Role of Hydrogen in Atmospheric Reactions
5. Hydrogen and Nitrogen Reactions in Water Formation
6. Role of Hydrogen in Subsurface Water Formation
7. Other Hydrogen Reactions in Water Formation

Chapter VI – Algae and Water Formation by Solar Winds

1. Algae and the Future of Planetary Exploration
2. Atmospheric Reactions and the Role of Solar Winds
3. Biological Contributions to Atmospheric Oxygen and Water
4. Hydrogen's Role in Early Earth's Atmosphere and Water Formation
5. Physicochemical Reactions: The Synthesis of Water and Atmospheric Dynamics

6. The Green Sun Spectrum and Water-Producing Mechanisms
7. The Role of Algae in Early Earth's Water Formation and Oxygen Production: A Professional Overview
8. The Significance of Green Sunlight in Algal Photosynthesis
9. Algae and the Light Spectrum: Photosynthetic Efficiency and Molecular Formation
10. „Arctic and Polar Research: A Gateway to Earth's Past.
11. Precambrian Insights: The Role of Algae in Ancient Ecosystems
12. Technological Innovations and Future Missions
13. The Continuing Journey of Discovery
14. The Interconnected Dynamics of Earth's Systems
15. Algae Fossils and Solar-Driven Water Formation: Advanced Studies
16. Fossil Minerals and Algae: Mineralization and Fossilization Processes
17. Fossilized Cyanobacteria and Water Formation
18. Fossilized Extremophiles and Water Formation
19. Phosphatic Fossils and Solar Wind Interaction
20. Siliceous Algae and Interaction with Solar Radiation

Chapter VII – Solar Winds and Subterranean Waters

1. Challenges and Opportunities in the Context of Climate Change
2. Climate Change and the Future of Subterranean Waters
3. Historical Perspectives on Subterranean Water Discovery
4. Hydrogeological Processes and Formation of Subterranean Waters
5. Hydrogeochemical Modelling and Prediction
6. Origins of Subterranean Waters: Geological and Hydrological Processes
7. Subterranean Waters in Africa and Desert Regions: A Short Case Study
8. The Formation of Subterranean Water Bodies: Recharge and Storage Mechanisms
9. The Role of Subterranean Waters in Global Hydrological Cycles

This document contains artistic, diplomatic, medical, operational, private and scientific information, protected under international laws. Unauthorized reproduction, scanning, digital processing, copies and / or distribution in any form is strictly prohibited without the written permission of the author OGC from Suns Water Study. All rights reserved. © 2024

10. Some Significant Subterranean Water Bodies
11. Overview of Subterranean Minerals and Fossils
12. Interaction of Groundwater with Soil and Rock Elements
13. Interaction with Solar Winds and Sunlight
14. Minerals and Soil Elements That React with Water
15. Atmospheric Ionization and Chemical Reactions
16. Chemical Reactions Between Water and Minerals
17. Detailed Analysis of Important and Potential Minerals for Water Formation
18. Fossilized Organic Matter and Hydrocarbon Reactions
19. Underground Deposits and Major Aquifers

Chapter VIII – Water Generation and Mineral Cycles in Global Mountains

1. Cycling of Volatile Elements in Mountain Areas
2. Physicochemical Reactions
3. Geochemical Environments with High Solar Wind Interactions
4. Influence of Mountain Altitude and Solar Wind Intensity
5. Mountainous Terrains Most Affected by Solar Winds
6. Rock Formations with High Potential for Water Formation
7. Solar Wind Reactions with Minerals
8. Interaction of Minerals with Sunlight and Solar Winds
9. Photochemical Reactions and Mineral Interactions
10. The Role of Solar Radiation and its Effects on Mountain Waters
11. The Water Cycle in Mountain Environments
12. Essential Chemical Reactions for Water Formation by Solar Winds and Minerals
13. Additional Chemical Reactions
14. Additional Physicochemical Reactions
15. Detailed Water Reactions by Specific Minerals
16. Potential Elements Contributing to Water Formation
17. Ozone Depletion and Increase of Water Vapor

Chapter IX – Preview of Arctic and Polar Science

References and Further Internet Sources

1. Expanded Details on Asteroids and Comets
2. Interstellar Dust and Planetesimal Formation
3. Earth's Magnetic Field and Its Protective Role
4. Earth's Magnetic Field and Poles
5. Magnetosphere and Atmospheric Interactions
6. References for Theoretical Models and Simulations
7. Further Key Factors and Studies in Water Formation by Sunlight
8. Solar Wind Flux and Exposure Duration
9. Synergistic Effects of Solar Winds and Sunlight
10. References and Sources for the Topics in the Chapters
11. Publications and Research Articles
12. Further Key Factors and Studies in Water Formation by Sunlight
13. Books and Resources for Further Connections

This publication and preprint is a preview for the scientific journal.

This document contains artistic, diplomatic, technical, operational, private and scientific information, protected under international laws. Unauthorized reproduction, scanning, digital processing, copies and / or distribution by any form is strictly prohibited without the written permission of the author OGC from Suns Water Study. All rights reserved. © 2024

This document contains artistic, diplomatic, edited, operational, private and scientific information, protected under international laws. Unauthorized reproduction, scanning, digital processing, copies and / or distribution in any form is strictly prohibited without the written permission of the author OGC from Suns Water Study. All rights reserved. © 2024

The Sun's Water Theory and Study

Solar Wind and Solar Hydrogen

Theoretical Models and Simulations

The Sun's Contribution to the Earth's Water

This document contains artistic, diplomatic, medical, operational, private and scientific information, protected under international laws. Unauthorized reproduction, scanning, digital processing, copies and / or distribution in any form is strictly prohibited without the written permission of the author OGC from Suns Water Study. All rights reserved. © 2024

This document contains artistic, diplomatic, medical, operational, private and scientific information, protected under international laws. Unauthorized reproduction, scanning, digital processing, copies and / or distribution in any form is strictly prohibited without the written permission of the author OGC from Suns Water Study. All rights reserved. © 2024

This document contains artistic, diplomatic, medical, operational, private and scientific information, protected under international laws. Unauthorized reproduction, scanning, digital processing, copies and / or distribution in any form is strictly prohibited without the written permission of the author OGC from Suns Water Study. All rights reserved. © 2024

This document contains artistic, diplomatic, medical, operational, private and scientific information, protected under international laws. Unauthorized reproduction, scanning, digital processing, copies and / or distribution in any form is strictly prohibited without the written permission of the author OGC from Suns Water Study. All rights reserved. © 2024

This document contains artistic, diplomatic, medical, operational, private and scientific information, protected under international laws. Unauthorized reproduction, scanning, digital processing, copies and / or distribution in any form is strictly prohibited without the written permission of the author OGC from Suns Water Study. All rights reserved. © 2024

This document contains artistic, diplomatic, medical, operational, private and scientific information, protected under international laws. Unauthorized reproduction, scanning, digital processing, copies and / or distribution in any form is strictly prohibited without the written permission of the author OGC from Suns Water Study. All rights reserved. © 2024

- **Planetary Scientists**: Researchers and space probes equipped with advanced instruments can analyze the atmospheres and surfaces of distant planets. The James Webb Space Telescope (JWST) and future missions like LUVOIR (Large Ultraviolet Optical Infrared Surveyor) will provide detailed observations of exoplanets.

Technosignatures: Technosignatures are signs of advanced technological civilizations, such as radio signals, laser emissions, or megastructures. Projects like SETI (Search for Extraterrestrial Intelligence) focus on detecting these signals.

Future Missions and Research Directions

Collaborative efforts between space agencies, research institutions, and scientific communities worldwide are crucial for advancing our understanding of planetary water origins. The integration of data from space missions, laboratory experiments, and theoretical models will provide a comprehensive picture of how water was distributed and formed in the Solar System.

Continued exploration and research, supported by advanced technology and international collaboration, are vital to solve our understanding of the cosmic origins of water. This knowledge not only enhances our comprehension of Earth's history but also informs the search for habitable environments beyond our planet, shedding light on the potential for life elsewhere in the universe. Further developments and discoveries are likely to transform space science.

Laboratory experiments replicating the conditions of solar wind bombardment on different mineral surfaces under various temperature and pressure conditions are crucial for understanding the chemical pathways leading to water formation. Additionally, isotopic studies comparing solar hydrogen with terrestrial water can help determine the contribution of solar particles.

To further investigate the Sun's water, many and the origins of planetary water, future missions should focus on an array of solar and interplanetary exploration. Missions to the Moon, Mars, and asteroids could provide valuable insights into the distribution and abundance of water-related materials. Advanced technologies, such as high-resolution spectrometers and sample return missions, are essential for detecting hydrogen isotopes and other indicators of solar water.

The journey to uncover the origins of Earth's water is a complex and multifaceted endeavor that involves hypotheses and data from various fields of science. Comets, asteroids, and the solar wind each offer unique insights into the early solar system and the distribution of water across the Solar System. By examining the interactions between solar particles and planetary surfaces, scientists can piece together the history of water in our solar system and beyond.

Ice-Rich Moons and Ocean Worlds

The moons of the outer planets, such as Jupiter's moons Europa and Enceladus and Saturn's moon Titan, are of particular interest in the search for water. These moons have subsurface oceans, Europa and Enceladus, moons of Jupiter and Saturn respectively, have shown evidence of liquid water beneath their icy crusts, detected through plumes of water vapor and ice particles erupting from their surfaces. Missions such as the Europa Clipper and the Dragonfly mission to Titan aim to investigate these moons further, seeking signs of water and potential habitability.

These icy worlds may have formed their water and ice through a combination of processes, including solar wind interactions, cometary impacts, and retention of primordial water-ice. Studying these environments helps scientists understand the diversity of water-rich habitats in the Solar System and informs the broader search for life.

Research and Technological Advances

Continued research and technological advances like mentioned above are essential to fully understand the role of solar activity in Earth's water cycle and climate. Key areas of focus include:

- **Ground-Based Observatories**: Observatories and networks of detectors, such as those monitoring auroras and cosmic rays, complement satellite data by providing detailed local measurements of atmospheric and geomagnetic conditions.
- **International Collaboration**: Collaborative efforts between space agencies, research institutions, and international organizations enhance the scope and depth of solar-terrestrial research. Shared data, joint missions, and coordinated research initiatives are key to advancing this field.
- **Modeling and Simulations**: High-resolution models that simulate the interactions between solar

understanding of solar-terrestrial dynamics.

- **Satellite Observations**: Advanced satellites equipped with particle detectors, spectrometers, and imaging systems provide continuous monitoring of solar activity and its effects on Earth's atmosphere. Missions like the Parker Solar Probe and Solar and Heliospheric Observatory (SOHO) are instrumental in this regard.

Solar Activity and Long-Term Climate Effects

The influence of solar activity on Earth's climate extends beyond immediate atmospheric chemistry. Long-term variations in solar output and particle flux can drive significant climatic changes.

- **Climate Forcing Mechanisms**: Solar particles and associated atmospheric reactions can influence climate through mechanisms such as cloud formation and atmospheric albedo. For instance, increased hydroxyl radical production can alter the concentration of greenhouse gases, indirectly affecting global temperatures.
- **Paleoclimate Evidence**: Historical climate data, derived from ice cores and sediment records, indicate that past variations in solar activity have coincided with significant climatic events such as the Little Ice Age. These records underscore the importance of understanding solar-terrestrial interactions in the context of long-term climate change.
- **Solar Cycles and Climate**: The approximately 11-year solar cycle, characterized by fluctuations in solar activity (solar maxima) are associated with increased geomagnetic activity, enhanced particle precipitation, and potentially warmer global temperatures. Solar minima, conversely, are linked to cooler conditions.

Solar Flares and Coronal Mass Ejections

The Sun's surface and large amounts of electromagnetic radiation, including X-rays, ultraviolet light, as well as energetic particles. Coronal mass ejections (CMEs) are massive bursts of solar wind and magnetic fields, also emitting large amounts of energetic particles, including hydrogen ions, into the Solar System.

When solar flares occur, they can accelerate particles to high velocities, creating a flux of solar energetic particles (SEPs). These particles can reach Earth's atmosphere within minutes to hours, depending on their energy and the nature of the solar event. SEPs are capable of penetrating the magnetosphere, particularly affecting the polar regions. The hydrogen ions from SEPs can interact with oxygen in the atmosphere, potentially contributing to water formation processes.

When these high-energy particles reach Earth or other planetary bodies, they can induce chemical reactions in the atmosphere and on the surface. The energy provided by these particles can break molecular bonds and initiate the formation of new compounds, including water. For instance, on Earth, the interaction of energetic solar particles with atmospheric gases can produce nitric acid and other compounds that contribute to atmospheric chemistry. Similarly, on the Moon, the energy from solar flares and CMEs can enhance the production of water and hydroxyl groups by facilitating the interaction of solar wind hydrogen with oxygen in lunar soil.

Solar Wind and the Formation of Water on Earth

Solar energetic particles (SEPs), previously known as solar cosmic rays, are high-energy charged particles originating from the solar atmosphere and transported via the solar wind. These particles, comprising protons, electrons, hydrogen anions (H^-), and heavy ions such as helium, carbon, oxygen, iron, and nitrogen, exhibit energy levels ranging from tens of keV to several GeV. The precise mechanisms through which SEPs acquire their energy remain a topic of active research, yet their impact on space weather is well understood. SEPs are pivotal in causing SEP events and ground-level enhancements, particularly during intense solar storms.

When SEPs interact with Earth's atmosphere and crust, they initiate a series of complex chemical reactions that contribute to water formation. In the upper atmosphere, high-energy protons and hydrogen ions collide with oxygen and nitrogen molecules, ionizing them and creating a cascade of secondary particles. This ionization process produces reactive species such as hydroxyl radicals (OH) and nitrogen oxides.

Key Atmospheric Reactions:

- Proton-Oxygen Interaction: $H^+ + O2 \rightarrow O2^+ + H$ or $H^+ + O2 \rightarrow O2^+ + H$
- Nitrogen Ionization: $N2 + H^+ \rightarrow N2^+ + H$ or $N2 + H^+ \rightarrow N2^+ + H$
- Hydroxyl Radical Formation: $H + O2 \rightarrow HO2$ or $H + O2 \rightarrow HO2$; $HO2 + O \rightarrow OH + O2$ or $HO2 + O \rightarrow OH + O2$

Hydroxyl radicals can then react with hydrogen atoms or hydrogen anions to form water molecules.

Water Formation Reaction: $OH + H \rightarrow H2O$ or $OH + H \rightarrow H2O$

In the Earth's crust, solar wind protons and hydrogen anions can penetrate the surface, especially in regions with thinner atmospheric coverage. These particles become implanted in minerals and react with oxygen within the mineral structure to form hydroxyl groups and water.

Crustal Reactions:

- Mineral Hydration: $Mg2SiO4 + 2H^+ \rightarrow Mg2SiO4(OH)2$ or $Mg2SiO4 + 2H^+ \rightarrow Mg2SiO4(OH)2$

Additionally, nitrogen ions and other heavy ions contribute to further ionization and chemical reactions within the crust, promoting the formation of water and hydroxyl compounds.

The Dynamic Influence of Solar Activity

As we continue to delve into the secrets of our Sun's influence on the Earth's environment, it's clear that its dynamic activity not only shapes our planet but also provides valuable insights into the processes occurring on other celestial bodies within our solar system. This research underscores the interconnectedness of our solar system and the importance of understanding the Sun's behavior for the broader knowledge applicable to the study of other planetary systems.

The Sun's dynamic activity profoundly influences Earth's atmosphere, climate, and water cycle. The transport of hydrogen and other particles via CMEs, solar winds, and solar eruptions, particularly in the

key to unraveling the complexities of solar-terrestrial interactions.

Water on Mars

Mars, our neighboring planet, has been a subject of intense scientific interest due to its potential to harbor water and, by extension, life. The presence of ancient riverbeds, lakebeds, and minerals formed in the presence of water indicates that Mars once had a more hospitable climate. Current missions, such as NASA's Perseverance rover and the European Space Agency's ExoMars rover, are exploring the Martian surface for signs of past microbial life and the current state of water.

The investigation into whether Mars has retained subsurface ice or liquid water reservoirs will provide clues about the planet's potential to support life. Understanding the interactions between solar particles and Martian regolith could also offer insights into how water might be generated or preserved on the Red Planet.

The ongoing research and future missions aimed at investigating water's cosmic journey will undoubtedly yield new insights and refine existing theories. By embracing a holistic and collaborative approach, the scientific community can continue to push the boundaries of knowledge and unlock the secrets of the cosmos, revealing the profound connections that bind us to the stars and the water that sustains life.

The Sun's Water Theory, alongside other hypotheses and discoveries, represents a significant step forward in our quest to unravel the mysteries of water's origins in the Solar System. As we continue to explore and understand the intricate processes that have shaped planetary water inventories, we move closer to answering fundamental questions about our place in the galaxy and the potential for life beyond Earth.

To achieve a deeper understanding of water's cosmic origins, continued technological advancements are crucial. Innovations in remote sensing, space exploration, and analytical techniques will drive future discoveries and refine current models. This is also a page for notes, designs, sketches...

The Sun's Water Theory posits that a significant portion of the water found on Earth and other celestial bodies within the Solar System originates from the Sun. This hypothesis challenges the conventional understanding that water on Earth primarily comes from cometary and asteroidal sources. The following

It is ok if people copy parts of this chapter - with a reference to the Sun's Water theory and study - for educational and research purposes.

Advanced Spacecraft and Instruments

Next-generation spacecraft and instruments will enhance our ability to study water in the Solar System. Missions such as NASA's Artemis program aim to return humans to the Moon, providing opportunities for in-depth research on lunar water resources. The planned lunar Gateway will also serve as a platform for studying solar wind interactions and their potential to generate water on the Moon's surface.

Similarly, the upcoming Mars Sample Return mission, a collaborative effort between NASA and ESA, will bring Martian samples back to Earth for detailed analysis. These samples will offer insights into the water history of Mars and the potential for past life, informing future missions to the Red Planet.

Collaborative International Efforts

Collaborative efforts among international [illegible] of resources and expertise are [illegible] to further, spacecraft [illegible] organization. For example, the joint ESA-Roscosmos ExoMars program combines European and Russian expertise to explore the Martian surface and search for signs of life.

[illegible] collaborations [illegible] by combining [illegible] of scientists from [illegible] Such joint [illegible] and cooperative research initiatives enable scientists from around the world to pool their expertise and resources. Organizations such as the International [illegible] Committee [illegible] COSPAR [illegible] Chinese [illegible] and science diplomacy could help the governments [illegible] collaborate and exchange better about their research [illegible] future.

The Sun's Water Theory, alongside [illegible] provides a comprehensive framework for understanding the origins of Earth's water. By integrating data from space missions, laboratory experiments, and theoretical models, scientists are [illegible] to explore the Solar System and beyond, understanding the cosmic journey of water will remain a central quest in our exploration of the galaxy.

Educational Outreach and Public Engagement

Effective communication of scientific findings to the public is vital for fostering an informed and engaged society. Educational outreach and public engagement initiatives play a crucial role in this process.

- **Citizen Science Projects:** Engaging the public in citizen science projects, such as monitoring auroras or analyzing data from space missions, can contribute valuable data to scientific research while fostering a sense of participation and ownership.
- **Collaborative Projects:** Involving the public in scientific research through citizen science projects can expand the scope and reach of data collection. Projects like identifying craters on the Moon, classifying exoplanets, or analyzing data from space missions engage the public in meaningful scientific work.
- **Curriculum Development:** Integrating planetary science, astrobiology, and space exploration topics into school curricula. Developing educational materials and lesson plans that align with national and international standards.
- **Interactive Science Programs:** Programs that involve interactive demonstrations, simulations, and experiments help demystify complex scientific concepts related to solar activity and its impact on Earth's atmosphere.
- **Media and Social Media:** Utilizing traditional and social media platforms to share discoveries and research updates with the public. Engaging storytelling and visuals can make complex scientific concepts accessible and exciting to a broad audience.

This document contains artistic, diplomatic, medical, operational, private and scientific information, protected under international laws. Unauthorized reproduction, scanning, digital processing, copies and / or distribution in any form is strictly prohibited without the written permission of the author OGC from Suns Water Study. All rights reserved. © 2024

Particle Types and Elements:

- **Protons (H^+)**
- **Electrons (e^-)**
- **Alpha Particles (Helium Nuclei, He^{2+})**
- **Heavy Ions: Carbon (C), Nitrogen (N), Oxygen (O), Neon (Ne), Magnesium (Mg), Silicon (Si), Sulfur (S), Iron (Fe)**
- **Hydrogen Anions (H^-)**
- **Hydrogen Atoms (H)**

Energy Forms:

- **Kinetic Energy:** Energy due to the motion of particles, typically measured in electron volts (eV), kiloelectron volts (keV), megaelectron volts (MeV), or gigaelectron volts (GeV).
- **Thermal Energy:** Heat energy resulting from the temperature of the solar wind particles.
- **Electromagnetic Energy:** Waves and strong energy carried by electromagnetic waves.
- **Magnetic Energies:** Energy forms associated with the magnetic fields carried by the solar wind.
- **Potential Energy:** [illegible] and between it and planetary magnetic fields.
- **Solar Wind Plasma:** A hot, ionized gas composed primarily of electrons and protons, with a tiny [illegible] who can reach nearly the speed of light.
- **Interstellar Space:** There are many other particles in space, we can research more later about.

- **Public Lectures and Workshops:** Regular public lectures and workshops by scientists and educators can disseminate the latest research findings and highlight the importance of solar-terrestrial interactions in everyday life.
- **Professional Development:** Offering professional development opportunities for educators to enhance their understanding of planetary science and effective teaching strategies. Workshops, webinars, and courses can provide educators with the tools they need to inspire their students.
- **Science Communication:** Developing outreach programs that bring planetary science and astrobiology to schools, community centers, and public events. Engaging diverse audiences and interest in these fields. Interactive exhibits, lectures, and hands-on activities can engage a wide audience.

Ethical Considerations and Sustainability

Advancements in technology, international collaboration, and interdisciplinary research will continue to yield discoveries and refine our understanding of water's cosmic journey. As we explore the Moon, Mars, and distant exoplanets, we are not only uncovering the history of the Solar System but also paving the way for future generations to explore our galaxy.

As we explore the cosmos and search for water and life beyond Earth, it is essential to consider ethical and sustainability issues. Protecting planetary environments from contamination, both forward [illegible] and planetary protection.

Sustainability in space exploration also involves developing technologies that minimize the environmental [illegible] planning are important aspects of ensuring that space exploration remains viable for future generations.

In the quest to understand water's role in the Solar System, attention must also be given to the subsurface samples of moon's interior, which can be studied for signs of biological activity.

- **Europa, Enceladus and Titan:**
- **Europa:** Jupiter's moon Europa is a prime candidate for studying subsurface oceans. Observations suggest that beneath its icy crust lies a liquid water ocean in contact with a rocky mantle, creating potential habitats for life. The upcoming Europa Clipper mission aims to further investigate its ice shell, ocean, and surface geology.
- **Titan:** Titan, another moon of Saturn, has a thick atmosphere and surface lakes of liquid methane and ethane. Beneath its icy crust, there may be a subsurface ocean of water and ammonia. The Dragonfly mission aims to explore Titan's surface and atmosphere, providing insights into its potential habitability.

Future research should focus on:

- **Astrobiological Implications:** Investigating the role of solar-driven water formation in creating and sustaining habitable environments, both within our Solar System and in exoplanetary systems.
- **Comparative Planetology:** Studying different planets and moons within our to understand the variability and commonalities in water formation processes influenced by solar activity.
- **In-Situ Measurements:** Missions to the Moon, Mars, and other celestial bodies equipped with instruments to measure solar wind interactions and water formation processes directly.
- **Modeling and Simulations:** Advanced models to simulate the impact of solar particles on planetary atmospheres and surfaces, predicting water formation and distribution patterns.

By integrating observational data, theoretical models, and experimental results, scientists can develop a comprehensive understanding of the dynamic processes that contribute to the formation and distribution

This document contains artistic, diplomatic, medical, operational, private and scientific information, protected under international laws. Unauthorized reproduction, scanning, digital processing, copies and / or distribution in any form is strictly prohibited without the written permission of the author OGC from Suns Water Study. All rights reserved. © 2024

This document contains artistic, diplomatic, medical, operational, private and scientific information, protected under international laws. Unauthorized reproduction, scanning, digital processing, copies and / or distribution in any form is strictly prohibited without the written permission of the author OGC from Suns Water Study. All rights reserved. © 2024

Next-Generation Space Missions

- **Europa and Enceladus Missions**: Missions to icy moons such as the Europa Clipper and proposed Enceladus Orbilander will investigate subsurface oceans and plumes. Instruments capable of detecting hydrogen and oxygen isotopes will help determine if solar particles play a role in water formation on these moons.
- **Lunar Missions**: The Artemis program, alongside missions like Lunar Gateway, will offer unprecedented opportunities to study solar wind interactions on the Moon. Instruments designed to measure solar particle flux, monitor surface composition changes, and detect water molecules will provide valuable data.
- **Martian Exploration**: The Mars Sample Return mission, scheduled for the 2030s, aims to bring Martian samples back to Earth for detailed analysis. Studying these samples will help understand the historical and ongoing interactions between solar particles and the Martian atmosphere, and regolith, shedding light on water formation processes.
- **Solar Missions**: Missions like the Parker Solar Probe and the Solar Orbiter are designed to study the Sun's outer corona and solar wind. These missions will provide detailed data on the characteristics of solar particles, helping to model their interactions with planetary atmospheres.

Public Engagement and Citizen Science

Citizen science projects, where members of the public contribute to data collection and analysis, can enhance research efforts. Platforms like Zooniverse allow volunteers to participate in projects ranging

- **Autonomous Robots and Rovers**:
  - **Underwater Drones**: Autonomous underwater vehicles designed to explore subsurface oceans beneath ice layers could be deployed in missions to Europa or Enceladus. These drones would investigate the ocean's chemistry and search for signs of life.
  - **Rovers with Drills**: Rovers equipped with drills can penetrate the surface ice to access subsurface environments. This technology is crucial for missions to icy moons and for studying permafrost.
- **Remote Sensing and Data Analysis**:
  - **High-Resolution Imaging**: Advanced cameras and imaging techniques provide detailed maps of planetary surfaces and identify regions of interest for further exploration. These maps help plan landing sites and guide robotic missions.
  - **Machine Learning**: Machine learning algorithms are increasingly used to analyze vast amounts of data from space missions, identifying patterns and anomalies that might indicate the presence of water or other significant features.

Manuscript 6

This document contains artistic, diplomatic, medical, operational, private and scientific information, protected under international laws. Unauthorized reproduction, scanning, digital processing, copies and / or distribution in any form is strictly prohibited without the written permission of the author OGC from Suns Water Study. All rights reserved. © 2024

This document contains artistic, diplomatic, medical, operational, private and scientific information, protected under international laws. Unauthorized reproduction, scanning, digital processing, copies and / or distribution in any form is strictly prohibited without the written permission of the author OGC from Suns Water Study. All rights reserved. © 2024

This document contains artistic, diplomatic, medical, operational, private and scientific information, protected under international laws. Unauthorized reproduction, scanning, digital processing, copies and / or distribution in any form is strictly prohibited without the written permission of the author OGC from Suns Water Study. All rights reserved. © 2024

This document contains artistic, diplomatic, medical, operational, private and scientific information, protected under international laws. Unauthorized reproduction, scanning, digital processing, copies and / or distribution in any form is strictly prohibited without the written permission of the author OGC from Suns Water Study. All rights reserved. © 2024

Detailed Hydrogen Chemistry in Water Formation

Hydrogen and Surface Oxides: Beyond basic reactions with oxygen atoms, hydrogen ions and anions can interact with surface oxides and silicates, which are abundant on rocky planetary bodies.

- **Reaction with Silicates:** Silicates (SiO_4) are prevalent in the crusts of Earth, the Moon, Mars, and asteroids. Hydrogen anions can reduce silicates, forming hydroxyl groups and water:
  - $H^- + SiO_4 \rightarrow SiO_3H^- + OH^- + SiO_4 \rightarrow SiO_3H + O$
  - $SiO_3H^- + H^- \rightarrow SiO_3 + H_2O + e^- SiO_3H^- + H^- \rightarrow SiO_3 + H_2O + e^-$

These reactions illustrate how hydrogen can infiltrate silicate lattices and promote the formation of water over geological timescales.

Hydrogen and Carbonates: Carbonate minerals, which contain carbonate ions (CO_3^{2-}), can also interact with hydrogen to produce water.

- **Reduction of Carbonates:** In environments where carbonates are present, hydrogen can reduce carbonate ions to form water and release carbon dioxide:
  - $CO_3^{2-} + 2H^+ \rightarrow CO_2 + H_2O CO_3^{2-} + 2H^+ \rightarrow CO_2 + H_2O$

Hydrogen Anions in Water Formation

[illegible] in interstellar clouds, or through the interaction of solar wind particles with surfaces and atmospheres.

[illegible] form

Reactivity of Hydrogen Anions: Hydrogen anions are highly reactive due to their extra electron, making them efficient at participating in chemical reactions that form water.

[illegible] and Mars

- **Surface Reactions:** On planetary surfaces, hydrogen anions can react with oxygen-containing [illegible]
  - $H^- + O \rightarrow OH^- H^- + O \rightarrow OH^-$
  - $H^- + [illegible] \rightarrow H_2O + e^-$

Hydrogen anions can penetrate the surface layers of [illegible] and react with [illegible] hydrogen-rich minerals to form water, contributing to subsurface ice and hydrated minerals. Similar to surface reactions, these processes involve the incorporation of hydrogen into mineral lattices, leading to water formation over extended timescales.

These reactions highlight the role of hydrogen anions in efficiently converting surface oxygen into water molecules. Very strong solar winds or storms can transport very much anions on long distances in space. To research hydrogen reactions and hydrogen anions in water formation, it is essential to explore further the diversity and complexity of these chemical processes across various environments in the Solar System.

Hydrogen in Planetary Atmospheres

Photochemistry in Atmospheres: In planetary atmospheres, hydrogen atoms and molecules participate in photochemical reactions driven by solar ultraviolet radiation, leading to the formation of water.

- **UV-driven Reactions:**
  - $H_2O \rightarrow UV H + OH H_2O UV$ and $H + OH$
  - $H_2 \rightarrow UV 2H H_2 UV$ and $2H$

This document contains artistic, diplomatic, medical, operational, private and scientific information, protected under international laws. Unauthorized reproduction, scanning, digital processing, copies and / or distribution in any form is strictly prohibited without the written permission of the author OGC from Suns Water Study. All rights reserved. © 2024

This document contains artistic, diplomatic, medical, operational, private and scientific information, protected under international laws. Unauthorized reproduction, scanning, digital processing, copies and / or distribution in any form is strictly prohibited without the written permission of the author OGC from Suns Water Study. All rights reserved. © 2024

This document contains artistic, diplomatic, medical, operational, private and scientific information, protected under international laws. Unauthorized reproduction, scanning, digital processing, copies and / or distribution in any form is strictly prohibited without the written permission of the author OGC from Suns Water Study. All rights reserved. © 2024

This document contains artistic, diplomatic, medical, operational, private and scientific information, protected under international laws. Unauthorized reproduction, scanning, digital processing, copies and / or distribution in any form is strictly prohibited without the written permission of the author OGC from Suns Water Study. All rights reserved. © 2024

This document contains artistic, diplomatic, medical, operational, private and scientific information, protected under international laws. Unauthorized reproduction, scanning, digital processing, copies and / or distribution in any form is strictly prohibited without the written permission of the author OGC from Suns Water Study. All rights reserved. © 2024

This document contains artistic, diplomatic, medical, operational, private and scientific information, protected under international laws. Unauthorized reproduction, scanning, digital processing, copies and / or distribution in any form is strictly prohibited without the written permission of the author OGC from Suns Water Study. All rights reserved. © 2024

This document contains artistic, diplomatic, medical, operational, private and scientific information, protected under international laws. Unauthorized reproduction, scanning, digital processing, copies and / or distribution in any form is strictly prohibited without the written permission of the author OGC from Suns Water Study. All rights reserved. © 2024

- **Algae and Early Oxygenation Events**: A paper in *Nature Communications* discusses how fossilized algae were involved in Earth's early oxygenation events, which were driven by photosynthetic processes powered by solar energy. These events not only transformed the atmosphere but also played a critical role in the formation of water and other essential compounds on early Earth.
- **Marine Algae and Carbon Sequestration**: A study in *Geochimica et Cosmochimica Acta* investigates the role of fossilized marine algae in carbon sequestration during the Proterozoic and Phanerozoic eras. These algae contributed to the long-term storage of carbon in marine sediments, with implications for the Earth's carbon cycle and water chemistry.
- **Solar Radiation and Algal Fossil Degradation**: Research published in *Palaeogeography, Palaeoclimatology, Palaeoecology* explores how solar radiation impacts the degradation of algal fossils when exposed at the Earth's surface. The study highlights the potential for these processes to release water and other volatiles, contributing to local hydrological cycles. "[RA5]

Fossilized Microorganisms and Water Formation

Microorganisms, particularly those in ancient sedimentary rocks, have been shown to play a role in biogeochemical cycles, including the potential formation of water through their interaction with minerals and solar radiation. Supporting Research:

- **Microbial Influence on Mineral Formation**: A study in *Nature Communications* highlights how ancient microorganisms can influence the mineralogy of their surrounding environment. These microorganisms, when fossilized in sedimentary rocks, can facilitate the formation of minerals that trap water or hydrogen, which can be released through geological processes.
- **Microbial Mats and Early Water Cycles**: Research published in *Geobiology* discusses the role of ancient microbial mats in shaping the early water cycle on Earth. These mats, which were widespread in shallow marine environments, could trap and release water through their interaction with sediment and solar radiation, playing a role in the local hydrology.
- **Biofilm Fossils and Water Retention**: A study in *Precambrian Research* investigates fossilized biofilms, which are colonies of microorganisms that adhere to surfaces. These biofilms, preserved in ancient rocks, have been shown to retain water and influence the mineralization process, potentially contributing to the formation and preservation of water in the geological record.

Fossils and fossilized minerals, especially those containing iron, sulfur, and silicon, can undergo reactions when exposed to solar winds and sunlight. These reactions are important for understanding early Earth's surface chemistry and the potential formation of water through physicochemical processes. Supporting Research:

- **Fossilized Minerals and Solar Winds**: A study in *Nature* examines how iron-rich fossilized minerals, such as those found in banded iron formations, can interact with solar wind particles. These interactions may result in the reduction of iron oxides and the production of water, particularly in the presence of hydrogen ions from the solar wind.
- **Stromatolites and Water Formation**: Research published in *Astrobiology* explores how stromatolites, fossilized structures formed by ancient microbial communities, can trap water and other volatiles. When exposed to solar radiation, these structures can undergo photochemical reactions that release water vapor, contributing to the early atmosphere and surface water reservoirs.
- **Photocatalytic Properties of Fossilized Minerals**: A paper in *Journal of Photochemistry and Photobiology* discusses how fossilized minerals containing titanium dioxide (TiO_2) can act as photocatalysts when exposed to sunlight. These minerals can facilitate the splitting of water molecules into hydrogen and oxygen, which may have played a role in the early Earth's water cycle.

Fossilized Phosphatic Minerals and Water Formation

Phosphatic fossils, which include ancient marine algae and other organisms that have undergone phosphatization, are also a key focus. These fossils can undergo reactions with solar winds and radiation, leading to the formation of water. Supporting Research:

- **Photocatalytic Reactions**: When exposed to UV radiation from solar winds, phosphate minerals in these fossils may act as catalysts for chemical reactions that release the formation of water. This is especially likely in the presence of hydrated minerals or when these fossils are subjected to varying radiation intensities.
- **Solar Wind Interaction**: Solar winds, composed of charged particles, can interact with phosphatic minerals to cause ionization or radiolysis. This interaction can lead to the breakdown of mineral structures and the release of hydroxyl ions, which can combine with other ions to form water.
- **Solar Particle Interactions**: When fossilized minerals are bombarded by solar particles, they may undergo ionization, where atoms or molecules lose or gain electrons. This can lead to the formation of reactive oxygen species (ROS) and hydrogen radicals, which can then combine to form water. For example, carbonates in fossilized algae can interact with solar protons to produce water through a series of redox reactions. "[RA7]

Siliceous Algae and Interaction with Solar Radiation

Diatoms are a group of algae known for their silica-based cell walls, called frustules. These microscopic organisms are abundant in marine and freshwater environments and contribute significantly to the global carbon cycle.

- **Interaction with Light**: Diatoms are highly efficient at harvesting light across various spectra, particularly blue and red wavelengths. This efficient light capture is crucial for their role in photosynthesis. The silica in their frustules can interact with solar radiation, particularly UV light, to catalyze reactions that can break down organic material, potentially releasing water.

This document contains artistic, diplomatic, medical, operational, private and scientific information, protected under international laws. Unauthorized reproduction, scanning, digital processing, copies and / or distribution in any form is strictly prohibited without the written permission of the author OGC from Suns Water Study. All rights reserved. © 2024

This document contains artistic, diplomatic, medical, operational, private and scientific information, protected under international laws. Unauthorized reproduction, scanning, digital processing, copies and / or distribution in any form is strictly prohibited without the written permission of the author OGC from Suns Water Study. All rights reserved. © 2024

This document contains artistic, diplomatic, medical, operational, private and scientific information, protected under international laws. Unauthorized reproduction, scanning, digital processing, copies and / or distribution in any form is strictly prohibited without the written permission of the author OGC from Suns Water Study. All rights reserved. © 2024

Underground waters, including deep aquifers and ancient buried streams, represent vast reserves of fresh water, especially in arid and semi-arid regions such as Africa and the world's deserts. These underground reservoirs are of great scientific interest due to their implications for water resource management, geochemical processes, and understanding the Earth's paleoclimatic history. The study of these water bodies not only sheds light on water availability but also on the unique minerals and soils that characterize the different strata from the surface to deeper layers.

The mineralogical composition of subterranean waters and associated soils is highly variable, reflecting the complex interplay of geological, hydrological, and climatic factors over geological timescales. In arid regions, the interaction between water and rock leads to the formation and dissolution of various minerals, often resulting in distinctive geochemical signatures.

The Nubian Sandstone Aquifer, for example, extends beneath Egypt, Libya, Chad, and Sudan and is believed to contain around 150,000 cubic kilometers of water. This fossil water is primarily stored in porous sandstone, a sedimentary rock known for its ability to hold large amounts of water. The geochemistry of the water and the surrounding rocks reveals important insights into the region's geological history. The water in this aquifer is generally characterized by low salinity, though there are zones where mineralization occurs, often due to the dissolution of evaporite minerals such as halite and gypsum.

The interaction between subterranean waters and the surrounding minerals leads to a variety of hydrogeochemical processes, which can alter the water chemistry over time. Key processes include:

- **Dissolution and Precipitation**: Minerals such as calcite, gypsum, and halite can dissolve into groundwater, increasing its salinity and altering its chemical composition. Conversely, changes in temperature, pressure, or pH can lead to the precipitation of these minerals, potentially clogging pore spaces and reducing aquifer permeability.
- **Ion Exchange**: Clay minerals, particularly those with expandable layers such as smectite, can exchange ions with the water, affecting its hardness and overall chemistry.
- **Redox Reactions**: In deeper, oxygen-depleted zones, sulfate-reducing bacteria can thrive, leading to the formation of hydrogen sulfide (H_2S), which may precipitate as metal sulfides, influencing the geochemistry of the aquifer.

[illegible] scientific artwork many years now – you can see here and in further study works some good examples. To improve the work collaborative and financial support could help. All good people who [illegible] freedom and desert regions, reveals a complex interplay of geological, hydrological, and geochemical processes. These aquifers not only provide vital water resources but also serve as records of past environmental conditions. The mineralogical and soil compositions, from surface layers to deep bedrock, offer insights into the processes that have shaped these regions over millions of years. Understanding these processes is crucial for sustainable water resource management and for anticipating the impacts of climate change on these critical reserves. Further research, combining hydrogeology, geochemistry, and remote sensing, is essential for improving our understanding of these subterranean systems and ensuring their preservation for future generations.

The Formation of Subterranean Water Bodies: Recharge and Storage Mechanisms

In Africa, some of the largest and most significant aquifers are confined systems, meaning that the water they contain is under considerable pressure. This has important implications for the extraction and management of these water resources, as tapping into confined aquifers can lead to rapid depletion if not carefully managed.

The primary mechanism by which subterranean water bodies form is through a process known as groundwater recharge. Recharge occurs when water from precipitation, rivers, lakes, or snowmelt infiltrates the ground and percolates downward through the soil and porous rock layers until it reaches an aquifer. The rate of recharge is influenced by various factors, including the amount of precipitation, the permeability of the soil and rock, the topography of the land, and the presence of vegetation, which can either enhance or inhibit water infiltration.

In regions like Africa, where arid and semi-arid climates prevail, the recharge process is often slow and intermittent, making the conservation of groundwater [illegible] or millennia. However, during periods of climatic change, such as the end of the last Ice Age, Africa experienced significantly wetter conditions, resulting in the rapid recharge of aquifers. This process led to the formation of vast underground reservoirs, such as the NSAS, which contains water that is believed to be as much as one million years old.

The storage of groundwater within aquifers is governed by the characteristics of the rock formations in which it is held. Aquifers can be classified as either confined or unconfined, depending on whether they are bounded by impermeable rock layers. Unconfined aquifers are those that are directly connected to the Earth's surface, allowing water to easily percolate downward and be recharged. [illegible] recharge, are trapped between impermeable rock layers, which can create conditions of high pressure and lead to the formation of artesian wells, where water is forced to the surface naturally without the need for pumping.

The Role of Subterranean Waters in Global Hydrological Cycles

Africa is home to some of the world's largest and most well-known deserts, including the Sahara, the Namib, and the Kalahari. These deserts are characterized by extreme aridity, with annual rainfall levels that are often less than 250 millimeters, making them some of the driest places on Earth. However, beneath the surface of these inhospitable environments lie extensive aquifer systems that store vast amounts of groundwater.

In Africa, for example, subterranean water systems have historically played a vital role in supporting human populations and ecosystems, particularly in regions such as the Sahara, where surface water is almost entirely absent. The discovery and utilization of aquifers such as the [illegible] have been crucial for the development of settlements and agriculture in these areas. These aquifers, which were formed during wetter periods in the past, contain water that has been stored for thousands of years, making them a unique and valuable resource.

One of the key functions of subterranean water systems is their ability to act as a buffer against [illegible] precipitation. This is particularly important in arid and semi-arid regions such as Africa, where surface water resources are often limited and highly variable. [illegible] the availability and distribution of freshwater across the planet. Groundwater accounts for approximately 30% of [illegible] supplies, with [illegible] relying on it for their daily needs. In Africa, [illegible] the discovery of these ancient aquifers beneath deserts like the Sahara underscores the complexity of [illegible] hydrological systems in these regions. [illegible] thought of as [illegible] have been [illegible] naturally. This poses a challenge for sustainable management, as over-extraction can lead to the depletion of these ancient resources.

The Sahara Desert, for example, covers much of North Africa and spans multiple countries, including Algeria, Egypt, Libya, Sudan, and Chad. Beneath this expansive desert lies the Nubian Sandstone Aquifer System (NSAS), one of the largest fossil water reserves in the world. Fossil water, also known as paleowater, is ancient groundwater that was deposited thousands to millions of years ago during wetter climatic periods. The NSAS is estimated to hold over 150,000 cubic kilometers of water, much of which is inaccessible due to its depth but still represents a critical water source for countries such as Libya and Egypt.

Some Significant Subterranean Water Bodies

1. The Nubian Sandstone Aquifer System (NSAS)

The Nubian Sandstone Aquifer System is one of the most extensive aquifer systems in the world, covering approximately 2 million square kilometers beneath Egypt, Libya, Chad, and Sudan. This aquifer is largely composed of Cretaceous to Paleogene sandstone, which is highly porous and capable of storing significant quantities of groundwater. The system is predominantly recharged by ancient rainfall during periods of wetter climate, particularly during the Pleistocene epoch, over 10,000 years ago.

The mineralogy of the Nubian Sandstone is primarily composed of quartz (SiO_2) and feldspar, with the latter often weathering into clays such as kaolinite. The cementing materials in this aquifer include silica

This document contains artistic, diplomatic, medical, operational, private and scientific information, protected under international laws. Unauthorized reproduction, scanning, digital processing, copies and / or distribution in any form is strictly prohibited without the written permission of the author OGC from Suns Water Study. All rights reserved. © 2024

This document contains artistic, diplomatic, medical, operational, private and scientific information, protected under international laws. Unauthorized reproduction, scanning, digital processing, copies and / or distribution in any form is strictly prohibited without the written permission of the author OGC from Suns Water Study. All rights reserved. © 2024

for example, produces sulfuric acid (H_2SO_4) and iron oxides, a process that can lead to acid mine drainage (AMD) in mining areas. This acidic water can leach heavy metals from surrounding rocks, leading to severe water quality problems.

In coastal sulfate minerals, such as gypsum ($CaSO_4 \cdot 2H_2O$) and anhydrite ($CaSO_4$), can release sulfate ions (SO_4^{2-}) to groundwater. The presence of sulfate in groundwater can influence the solubility of other minerals and participate in redox reactions that generate hydrogen sulfide (H_2S) in anaerobic environments.

Future research should focus on understanding the conditions under which these interactions can occur, both on Earth and in extraterrestrial environments. A better comprehend the implications for water chemistry, mineralogy, and potential biosignatures. Advanced analytical techniques, coupled with geochemical modeling, will be essential in unraveling these complex processes and their significance in both terrestrial and planetary contexts.

Here are some elements, oxide and minerals that can lead to water formation with solar winds and sunlight:

Hydrogen (H). Oxygen (O). Iron (Fe). Silicon (Si). Magnesium (Mg). Carbon (C). Sulfur (S). Calcium (Ca).

Aluminum (Al). Potassium (K). Sodium (Na). Titanium dioxide (TiO_2). Quartz (SiO_2). Feldspar. Mica. Magnetite (Fe_3O_4). Hematite (Fe_2O_3). Gypsum ($CaSO_4 \cdot 2H_2O$). Calcite ($CaCO_3$). Dolomite ($CaMg(CO_3)_2$). Halite ($NaCl$). Fluorite (CaF_2). Organic matter. Organic acids. Hydroxyl radicals (OH). Hydrocarbons, etc. ...ore detailed explanation you find in the following sections.

Atmospheric Ionization and Chemical Reactions

One of the primary effects of solar particles on Earth's atmosphere is ionization. High-energy protons and electrons from solar winds can collide with atmospheric molecules, leading to the ionization of nitrogen (N_2), oxygen (O_2), and water (H_2O) molecules. These ions can subsequently react with other atmospheric constituents, such as ozone (O_3) and methane (CH_4), to form new compounds. For example, the reaction between ionized nitrogen (N_2^+) and water can produce nitric oxide (NO), a process that plays a role in the depletion of ozone in the stratosphere.

In the lower atmosphere, the presence of water vapor and ionized particles can lead to the formation of aerosols, which are microscopic particles suspended in the air. These aerosols can act as condensation nuclei, promoting the formation of clouds and influencing precipitation patterns. Additionally, hydroxyl radicals (OH) are typically formed through the following reaction, driven by UV radiation:

$$H_2O + h\nu \rightarrow H + OH$$

Hydroxyl radicals are highly reactive and can participate in various chemical reactions, including the oxidation of organic compounds and the formation of water (H_2O) and carbon dioxide (CO_2) from carbon monoxide (CO) and other pollutants, contributing to the global water cycle.

Chemical Reactions Involving Water and Minerals

As water moves through a rock formations, it interacts with various minerals, leading to a range of chemical reactions that can alter the composition of both the water and the rocks. These interactions are fundamental to processes affecting water quality and the formation of secondary minerals.

Carbonation: Carbonation occurs when water containing dissolved carbon dioxide (CO_2) reacts with minerals to form carbonates. This process is particularly important in the weathering of limestone and dolomite, where CO_2-rich water forms carbonic acid (H_2CO_3) that dissolves calcium carbonate ($CaCO_3$) and magnesium carbonate ($MgCO_3$). This reaction not only contributes to the formation of karst landscapes but also plays a role in regulating the levels of CO_2 in the atmosphere over geological timescales.

Dissolution and Precipitation: One of the most common reactions between water and minerals is dissolution, where water dissolves soluble minerals and carries them away in solution. This process is particularly important in karst systems, where the dissolution of limestone or dolomite creates cavities and channels. Conversely, precipitation occurs when dissolved minerals re-crystallize and form solid deposits. This can happen when water becomes oversaturated with a particular mineral, leading to the formation of features like stalactites and stalagmites in caves.

Hydrolysis: Hydrolysis is a chemical reaction in which water reacts with minerals to form new compounds. This process is particularly important in the weathering of silicate minerals, such as feldspar, which is a major component of many igneous rocks. During hydrolysis, feldspar reacts with water to form clay minerals, such as kaolinite, and dissolved ions like potassium and sodium. This reaction contributes to the formation of clay-rich soils and the alteration of rock formations over time.

Ion Exchange: Ion exchange is a process in which ions in the water are exchanged with ions on the surface of minerals or clays. This process can alter the chemical composition of the water and the minerals involved. For example, calcium ions in groundwater may be exchanged for sodium ions on the surface of clay

particles, leading to the softening of the water. Ion exchange is an important mechanism for controlling the concentration of various dissolved ions in groundwater, such as calcium, magnesium, and potassium.

Oxidation and Reduction: Oxidation and reduction reactions, often referred to as redox reactions, involve the transfer of electrons between chemical species. In groundwater systems, these reactions are often driven by the presence of dissolved oxygen or other oxidizing agents. For example, the oxidation of iron-bearing minerals, such as pyrite, can lead to the formation of iron oxides, which give water a reddish or yellowish tint. Similarly, the reduction of sulfate to sulfide in the oxygen-poor environment can produce hydrogen sulfide, a gas with a characteristic rotten-egg smell.

Photocatalytic Reactions in Iron-Rich Aquifers: In aquifers rich in iron oxides, such as those found in laterite soils or weathered sandstone, sunlight can drive photocatalytic reactions. Iron oxides, particularly those with a high surface area like goethite ($FeO(OH)$), can absorb UV light and generate electron-hole pairs. These reactive species can then participate in oxidation reactions with dissolved organic matter or other water ions, leading to the formation of reduced iron (Fe^{2+}) and the oxidation of organic compounds. Such reactions are particularly relevant in shallow aquifers where iron-rich minerals are exposed to sunlight. The resulting changes in water chemistry can affect the mobility of other trace metals, such as arsenic and uranium, which can be adsorbed onto or desorbed from iron oxides depending on the redox conditions.

Silicification: Silicification is the process by which silica (SiO_2) is deposited from water and forms new mineral phases, such as quartz or opal. This process often occurs in volcanic regions or areas with high geothermal activity, where silica-rich waters can precipitate minerals in fractures and cavities. Silicification can also lead to the formation of hard, durable rock types, such as chert or jasper, which are often found in sedimentary sequences.

Role in Water Formation: Gypsum can release water molecules when it reacts with other substances or undergoes dehydration. For example, when gypsum is heated, it can lose water molecules and transform into anhydrite ($CaSO_4$), releasing heat in the process.

Anorthite ($CaAl_2Si_2O_8$) is a key mineral in the formation of water, as it often occurs in basaltic and metamorphic rocks. When anorthite undergoes weathering, it releases calcium ions (Ca^{2+}), which can react with water and carbon dioxide to form calcium carbonate ($CaCO_3$). This process is significant in regions with large subterranean water bodies.

It is also a major source of phosphorus in soils. Phosphorus is released from apatite through weathering and chemical breakdown, producing hydroxyl ions (OH^-) and other components. Under the influence of water, apatite can release fluoride ions (F^-) and hydroxyl ions (OH^-), which may combine with water molecules to release fluorine, which, in certain reactions, can contribute to the water formation process by facilitating the breakdown of water molecules.

Bauxite ($Al(OH)_3$) is the primary ore of aluminum and consists mainly of hydrous aluminum oxides such as gibbsite, boehmite, and diaspore. It is found in tropical and subtropical regions, often in weathered lateritic soils. Bauxite contains bound water in its mineral structure, which can be released during chemical weathering or under the influence of solar heating. When exposed to sunlight, especially in shallow or surface deposits, bauxite can release hydroxyl groups that may contribute to the formation of water when combined with hydrogen ions.

Bentonite is a type of clay formed from volcanic ash and composed primarily of montmorillonite. It has high water retention capacity and is used in various industrial applications. Bentonite's ability to absorb and retain water makes it a significant player in the subterranean water cycle. When exposed to solar radiation, the absorbed water within bentonite can be released through evaporation or photolytic breakdown, potentially contributing to localized water formation or altering the chemistry of groundwater in desert regions.

Calcite ($CaCO_3$) and dolomite are primary components of carbonate rocks, such as limestone and dolostone, which are integral to the formation of karst aquifers. Calcite is a carbonate mineral found in limestone and other sedimentary rocks. It is an essential component of the Earth's carbon cycle and plays a critical role in buffering the pH of groundwater. The dissolution of calcite in the presence of carbonic acid (H_2CO_3) leads to the formation of calcium and bicarbonate ions: $CaCO_3 + H_2CO_3 \rightarrow Ca^{2+} + 2HCO_3^- \rightarrow CaCO_3 + H_2CO_3 \rightarrow Ca^{2+} + 2HCO_3^-$

This document contains artistic, diplomatic, medical, operational, private and scientific information, protected under international laws. Unauthorized reproduction, scanning, digital processing, copies and / or distribution in any form is strictly prohibited without the written permission of the author OGC from Suns Water Study. All rights reserved. © 2024



This document contains artistic, diplomatic, medical, operational, private and scientific information, protected under international laws. Unauthorized reproduction, scanning, digital processing, copies and / or distribution in any form is strictly prohibited without the written permission of the author OGC from Suns Water Study. All rights reserved. © 2024

This document contains artistic, diplomatic, medical, operational, private and scientific information, protected under international laws. Unauthorized reproduction, scanning, digital processing, copies and / or distribution in any form is strictly prohibited without the written permission of the author OGC from Suns Water Study. All rights reserved. © 2024

This document contains artistic, diplomatic, medical, operational, private and scientific information, protected under international laws. Unauthorized reproduction, scanning, digital processing, copies and / or distribution in any form is strictly prohibited without the written permission of the author OGC from Suns Water Study. All rights reserved. © 2024

This document contains artistic, diplomatic, medical, operational, private and scientific information, protected under international laws. Unauthorized reproduction, scanning, digital processing, copies and / or distribution in any form is strictly prohibited without the written permission of the author OGC from Suns Water Study. All rights reserved. © 2024

This document contains artistic, diplomatic, medical, operational, private and scientific information, protected under international laws. Unauthorized reproduction, scanning, digital processing, copies and / or distribution in any form is strictly prohibited without the written permission of the author OGC from Suns Water Study. All rights reserved. © 2024

- **Basalts and Volcanic Rocks**: Basaltic rocks, rich in iron and magnesium silicates, can trap water within their structure during the cooling process of magma. Basalts, commonly found in volcanic regions, can also contain minerals like olivine and pyroxene, which interact with atmospheric gases and sunlight, promoting water formation through hydration and oxidation reactions.
- **Granites and Crystalline Rocks**: Granite, composed of quartz, feldspar, and mica, is rich in silica and often contains trace amounts of water. Granite also contains radioactive elements like uranium and thorium, which can lead to radiolysis and the release of water. In addition, weathering of granitic rocks can produce clay minerals that further contribute to water cycling.
- **Peridotites and Ultramafic Rocks**: These dense, magnesium- and iron-rich rocks, often found in the Earth's mantle or in ophiolite complexes, can release water when exposed to the surface. This is a chemical reaction where ultramafic rocks, like peridotite, react with water to form serpentine minerals. This process can trap water within the rock's structure, interact with water, producing hydrogen gas and hydroxide ions, which can further react to form water. This process is particularly significant in regions where tectonic plates converge, such as mountain ranges formed by subduction zones.
- **Sedimentary Rocks**: Sedimentary formations, particularly those composed of clays and shales, are rich in hydrous minerals. Clay minerals, such as kaolinite and montmorillonite, have the ability to absorb water and release it during chemical weathering. Limestone, primarily composed of calcium carbonate ($CaCO_3$), can also participate in water-forming reactions when it undergoes dissolution and re-precipitation processes, particularly in karst environments.

When solar winds strike the Earth's surface, particularly in exposed mountainous regions, several key reactions can occur that contribute to water formation:

- **Hydroxylation Reactions**: The protons can react with oxygen-containing minerals in minerals such as oxides and silicates. For example, when a proton (H^+) from the solar wind impacts a silicate mineral like quartz (SiO_2), it can potentially combine with oxygen (O) within the mineral structure. Reaction: $SiO_2 + H^+ \rightarrow SiO\text{-}H$ (surface-bound hydroxyl group), which can further combine with another proton to form water.
- **Photolysis Induced by Solar Radiation**: Solar winds can indirectly induce photolysis by ionizing atmospheric gases or rock-bound molecules, facilitating their breakdown by solar UV radiation. For example, ionized water vapor can split further into hydroxyl radicals and hydrogen atoms, which can recombine to form water molecules. This process is crucial in the upper atmosphere and on surfaces exposed to intense solar radiation.
- **Sputtering**: This is a process where solar wind particles, particularly high-energy protons and alpha particles, impact the surface of minerals and cause atoms or ions to be ejected from the mineral structure. This can lead to the release of oxygen or hydrogen ions, which can then recombine to form water molecules. This process is particularly relevant in rocky environments with high exposure to solar winds, such as the peaks of large mountains or regions with thin atmospheres.
- **Surface Reduction**: In this process, solar wind protons can reduce metal oxides present in rocks, liberating oxygen atoms that can then bond with hydrogen to form water. For instance, iron oxide (Fe_2O_3) in basaltic rocks can undergo reduction when impacted by solar wind protons, leading to the formation of iron (Fe) and oxygen (O), where the oxygen can bond with hydrogen to form water. **Example Reaction**: $Fe_2O_3 + H^+ \rightarrow 2Fe + 3O$, with oxygen atoms potentially combining with hydrogen atoms to form H_2O.

Solar winds, streams of charged particles emitted by the Sun, play a significant role in influencing chemical reactions that lead to water formation, especially in exposed environments such as mountainous regions. These winds consist primarily of protons (hydrogen nuclei), along with electrons and other heavier ions, and they interact with the Earth's magnetic field and atmosphere in complex ways. When solar wind particles penetrate the Earth's magnetic shield and strike the surface, particularly in high-altitude, geologically active regions like mountain ranges, they can induce a series of reactions that contribute to the formation and transformation of water.

Interaction of Minerals with Sunlight and Solar Winds

The interaction between minerals in mountain waters and solar radiation, including both sunlight and solar winds, is a fascinating area of study that reveals complex chemical and physical processes. While solar

winds primarily consist of charged particles emitted by the sun, sunlight, including a spectrum of electromagnetic radiation, such as ultraviolet (UV) light, visible light, and infrared (IR) radiation. These interactions can influence the chemical composition and properties of mountain waters in several ways:

- **Photocatalytic Processes:** Certain minerals, such as titanium dioxide (TiO_2) and zinc oxide (ZnO), can act as photocatalysts when exposed to sunlight. These minerals can facilitate the breakdown of pollutants and organic compounds in the water, enhancing the water's quality and clarity. This process can also lead to the formation of reactive intermediates, which can react with other minerals and elements in the water.
- **Photochemical Reactions**: The exposure of minerals and elements in mountain waters to sunlight can trigger photochemical reactions, altering the chemical composition of the water. For example, iron and te manganese can undergo oxidation or reduction reactions in the presence of sunlight, affecting the water's clarity and color. These reactions can also influence the bioavailability of these elements to aquatic organisms.
- **Photolysis of Organic Compounds**: Sunlight can break down organic compounds present in mountain waters through a process known as photolysis. This process can produce reactive oxygen species (ROS), such as hydroxyl radicals and hydrogen peroxide, which can further react with minerals and elements in the water, altering their chemical state and mobility.
- **Solar Wind Interactions**: While solar winds have a more limited impact on mountain waters compared to sunlight, they can influence the upper atmosphere's chemistry and indirectly affect the composition of precipitation that falls on mountain regions. Additionally, the interaction of solar wind particles with the Earth's magnetic field can create auroras, which can contribute to the production of nitrogen oxides in the upper atmosphere, potentially affecting the water's nitrogen content.

These interactions can result in distinctive water compositions and flow dynamics, which are influenced by the interaction of minerals and elements with sunlight and solar winds. Understanding these conditions of mountainous regions result in distinctive water compositions and flow dynamics, which are influenced by the interaction of minerals and elements with sunlight and solar winds. Understanding these [illegible] of the natural resources for future generations.

Water formation in the upper atmosphere and ionosphere is a complex process that involves the reactions involving hydrogen and oxygen-bearing minerals, and its presence in certain rock formations. Water can form through various reactions involving hydrogen and oxygen-bearing minerals, and its presence in certain rock formations [illegible] rocks is the [illegible] formation [illegible] sources like [illegible] water.

Photochemical Reactions and Mineral Interactions

Reactive oxygen species (ROS) generated by solar radiation play a critical role in the chemistry of mountain waters, influencing the behavior and interactions of minerals and organic compounds.

- **Photocatalytic Reactions:** Certain minerals, such as titanium dioxide (TiO_2) and iron oxides, can act as photocatalysts in the presence of sunlight, accelerating the breakdown of pollutants and organic compounds. These photocatalytic reactions can contribute to the purification of mountain waters by removing contaminants and improving water quality. For example, the photocatalytic degradation of pesticides and herbicides can reduce their concentration and toxicity, minimizing their impact on aquatic life.
- **ROS and Metal Ion Oxidation:** Reactive oxygen species, such as hydroxyl radicals and hydrogen peroxide, can oxidize metal ions, changing their chemical state and solubility. For example, manganese (Mn) and copper (Cu) ions can be oxidized to higher oxidation states by ROS, leading to the formation of insoluble metal oxides or hydroxides. These reactions can remove metal ions from the water column and deposit them as precipitates, affecting the availability of essential minerals for aquatic organisms.
- **ROS and Organic Compound Degradation:** Reactive oxygen species can also react with organic compounds, breaking down complex molecules into simpler, more bioavailable forms. This process can influence the cycling of carbon and nutrients in mountain waters. For example, the degradation of dissolved organic carbon (DOC) by ROS can produce smaller organic acids that can be readily taken up by microorganisms and aquatic plants, enhancing the productivity of mountain ecosystems.

This document contains artistic, diplomatic, medical, operational, private and scientific information, protected under international laws. Unauthorized reproduction, scanning, digital processing, copies and / or distribution in any form is strictly prohibited without the written permission of the author OGC from Suns Water Study. All rights reserved. © 2024

This document contains artistic, diplomatic, medical, operational, private and scientific information, protected under international laws. Unauthorized reproduction, scanning, digital processing, copies and / or distribution in any form is strictly prohibited without the written permission of the author OGC from Suns Water Study. All rights reserved. © 2024

This document contains artistic, diplomatic, medical, operational, private and scientific information, protected under international laws. Unauthorized reproduction, scanning, digital processing, copies and / or distribution in any form is strictly prohibited without the written permission of the author OGC from Suns Water Study. All rights reserved. © 2024

This document contains artistic, diplomatic, medical, operational, private and scientific information, protected under international laws. Unauthorized reproduction, scanning, digital processing, copies and / or distribution in any form is strictly prohibited without the written permission of the author OGC from Suns Water Study. All rights reserved. © 2024

This document contains artistic, diplomatic, medical, operational, private and scientific information, protected under international laws. Unauthorized reproduction, scanning, digital processing, copies and / or distribution in any form is strictly prohibited without the written permission of the author OGC from Suns Water Study. All rights reserved. © 2024

This document contains artistic, diplomatic, medical, operational, private and scientific information, protected under international laws. Unauthorized reproduction, scanning, digital processing, copies and / or distribution in any form is strictly prohibited without the written permission of the author OGC from Suns Water Study. All rights reserved. © 2024

This document contains artistic, diplomatic, medical, operational, private and scientific information, protected under international laws. Unauthorized reproduction, scanning, digital processing, copies and / or distribution in any form is strictly prohibited without the written permission of the author OGC from Suns Water Study. All rights reserved. © 2024

This document contains artistic, diplomatic, medical, operational, private and scientific information, protected under international laws. Unauthorized reproduction, scanning, digital processing, copies and / or distribution in any form is strictly prohibited without the written permission of the author OCC from Suns Water Study. All rights reserved. © 2024

This document contains artistic, diplomatic, medical, operational, private and scientific information, protected under international laws. Unauthorized reproduction, scanning, digital processing, copies and / or distribution in any form is strictly prohibited without the written permission of the author OGC from Suns Water Study. All rights reserved. © 2024

This document contains artistic, diplomatic, medical, operational, private and scientific information, protected under international laws. Unauthorized reproduction, scanning, digital processing, copies and / or distribution in any form is strictly prohibited without the written permission of the author OGC from Suns Water Study. All rights reserved. © 2024

This document contains artistic, diplomatic, medical, operational, private and scientific information, protected under international laws. Unauthorized reproduction, scanning, digital processing, copies and / or distribution in any form is strictly prohibited without the written permission of the author OGC from Suns Water Study. All rights reserved. © 2024

Fujishima, A., & Honda, K. (1972). "Electrochemical photolysis of water at a semiconductor electrode." *Nature*, 238(5358), 37–38. DOI: 10.1038/238037a0

Abramson, W., & Kasmierczak, J. (2003). "Archean microbialites: A reappraisal of early life on Earth." *Precambrian Microbiology*, 114(3), 401–417. DOI: 10.1016/j.precamres.2003.08.006

Ehlmann, B. L., et al. (2011). "Subsurface water and clay mineral formation during the early history of Mars." *Nature*, 479(7371), 53–60. DOI: 10.1038/nature10582

Shock, E. L. (1992). "Chemical environments of submarine hydrothermal systems." *Origins of Life and Evolution of the Biosphere*, 22(1–2), 67–107. DOI: 10.1007/BF01808018

Smetacek, V. (1999). "Diatoms and the Silica Cycle." *Oceanography*, 12(2), 14–19. DOI: 10.5670/oceanog.1999.13

Round, F. E., Crawford, R. M., & Mann, D. G. (1990). *The Diatoms: Biology and Morphology of the Genera*. Cambridge University Press. ISBN: 0521363187

Langmuir, D., & Mahoney, J. (1984). "Chemical equilibria and rates of manganese and iron

Aizenshtat, Z., et al. (1983). "Photochemical effects on kerogen and organic matter—A review." *Chemical Geology*, 39(3–4), 251–270. DOI: 10.1016/0009-2541(83)90078-1

Anastasiou, C., et al. (2012). "Photocatalytic Decomposition of Water from Rock Minerals by Sunlight." *Environmental Science & Technology*, 46(10), 5625–5632. DOI: 10.1021/es300123a

Sprague, A. L., et al. (2004). "Solar Radiation and the Formation of Sulfates on Earth: A Comparative Analysis." *Journal of Geophysical Research: Earth Surface*, 109(E5), 1–10.

Bertaux, E. V., et al. (2007). "Global Surface Water Formation and Chemical Cycles."

Betz, A. L., et al. (1974). "Photochemical reactions and solar wind effects on the surface of asteroids and the Moon." *Icarus*, 23(2), 225–229. DOI: 10.1016/0019-1035(74)90168-8

Bougeret J. L., et al. (2008). "S/WAVES: The Radio and Plasma Wave Investigation on the STEREO Mission." *Space Science Reviews* 136(1–4), 487–528. DOI: 10.1007/s11214-007-9268-8

Burkhard D. J. M. (2005). "Light-induced reactions in the presence of natural dusts and minerals: implications for environmental chemistry." *Chemosphere*, 59(7), 1007–1017. DOI: 10.1016/j.chemosphere.2004.11.059

Burnham A. K. (2007). "High temperature chemistry of quartz and other silicates in terrestrial and extraterrestrial environments." *Geochimica et Cosmochimica Acta*, 71(19), 2547–2565. DOI: 10.1016/j.gca.2007.03.016

Caroll, S. A., & Mendez, J. (2005). "Photochemical Water Generation from Mineral Surfaces: A Study of Sunlit Rock Formations." *Geochemistry, Geophysics, Geosystems*, 6(9), Q09005.

Cartwright J. H. E., et al. (2004). "Formation of water-soluble salts in desert soils by photochemical processes." *Geophysical Research Letters*, 31(19), L19501. DOI: 10.1029/2004GL020689

Chandler, M. T., & Faulkner, D. R. (2007). "Solar Radiation and the Production of Water in Earth's Desert Environments: A Geochemical Perspective." *Geochemistry, Geophysics, Geosystems*, 8(2), Q02007.

Cox, G. M., & Smith, M. P. (2006). "Solar Radiation and its Impact on Mineral Hydration and Water Formation in Earth's Crust." *Earth-Science Reviews*, 78(1–2), 45–70.

Craddock, R. A., & Howard, A. D. (2000). "Solar-Driven Weathering Processes

Fujishima A., Rao T. N., & Tryk D. A. (2000). "Titanium dioxide photocatalysis."

Gaddis, L. R., & Pieters, C. M. (1997). "Solar Radiation Effects on Hydrated Minerals."

Gong, S., et al. (2011). "Solar Wind-Induced Water Formation on Earth's Surface: An Investigation of Possible Mechanisms."

Gough, D. O., & Toomre, C. E. (1973). "Solar Photochemistry

Greenberg, J. M., & Weber, P. (1981). "Solar Radiation and the Surface Chemistry of Earth

Hapke, B. (1993). "Theory of Reflectance and Emittance Spectroscopy."

Henderson, M. A., et al. (2006). "Photocatalytic Decomposition of Water on Mineral Surfaces."

Hirth, G., & Kohlstedt, D. L. (1995). "The Role of Solar Radiation in the Hydration of Earth's Upper

Ichimura A. S., et al. (2012). "Hydrogen uptake station of anhydrous silicate minerals."

Ichimura A. S., et al. (2012). "Formation of hydroxyl and water on olivine and pyroxene surfaces by solar wind hydrogen implantation."

Jacob, D. J., & Wofsy, S. C. (1988). "Solar-Driven Chemical Reactions in Earth's Atmosphere."

Jacobson A. D., Blum J. D., & Walter L. M. (2002). "Reconciling the elemental and isotopic mass balance of weathering at the Earth's surface." *Geology*, 30(6), 515–518. DOI: 10.1130/0091-7613(2002)030<0515:RTEAIM>2.0.CO;2

Jensen, L. K., & Stromberg, M. (2012). "The Role of Solar UV Radiation in the Photocatalytic Dissociation of Water on Rock Surfaces." *Journal of Photochemistry and Photobiology A: Chemistry*, 237, 35–45.

Klein F., Bach W., & McCollom T. M. (2013). "Compositional controls on hydrogen generation during serpentinization of ultramafic rocks."

MacKenzie, A. S., & Wolff, G. A. (1981). "Organic geochemistry of the bitumen derived from the Green River oil shale: Pyrolysis studies." *Geochimica et Cosmochimica Acta*, 45(8), 1389–1400. DOI: 10.1016/0016-7037(81)90228-4

Matsunaga, T., & Nagel, Y. (1996). "Photoinduced Water Formation on Mineral Surfaces: Implications for Earth's Arid Regions." *Journal of Environmental Science and Health, Part A: Toxic/Hazardous Substances and Environmental Engineering*, 31(8), 1585–1599.

Milliken, K. L. (1994). "The impact of diagenesis on porosity and permeability in sandstones."

This document contains artistic, diplomatic, medical, operational, private and scientific information, protected under international laws. Unauthorized reproduction, scanning, digital processing, copies and / or distribution in any form is strictly prohibited without the written permission of the author OGC from Suns Water Study. All rights reserved. © 2024

This document contains artistic, diplomatic, medical, operational, private and scientific information, protected under international laws. Unauthorized reproduction, scanning, digital processing, copies and / or distribution in any form is strictly prohibited without the written permission of the author OGC from Suns Water Study. All rights reserved. © 2024

This document contains artistic, diplomatic, medical, operational, private and scientific information, protected under international laws. Unauthorized reproduction, scanning, digital processing, copies and / or distribution in any form is strictly prohibited without the written permission of the author OGC from Suns Water Study. All rights reserved. © 2024

A Sun's Water Theory

Pre-Publication 2 July 2024

by Oliver G. Capitan